

Combined Table of Contents

The following table lists every page ever printed in a research edition. In general the presence of a page in an edition is signaled by +; a number instead of + indicates that the page appeared in a different chapter of that edition. An appended name in brackets [] means that a manual page was later incorporated into or obsoleted by the named page.

Research software that was not included in distribution tapes was generally omitted from the v6 and v7 manuals. For v7 an addendum about unexported software was printed for local use; items from it are flagged L.

Thus one can infer from the table that *apl* existed from v5 through v7, but was never distributed. In v5 it lived in chapter 6, "User maintained commands." It disappeared with v8, a casualty of the conversion from PDP-11s to VAXes.

Many trivial name changes are quietly ignored, e.g. a change from *cons*(4) in v8 to *console*(4) in v9 and from *file system*(V) in v1-v3 to *fs*(V) in v4-6 to *filsys*(5) in v7-v9. The short descriptions also changed from time to time; those given here are from v7 or else from the edition where the page first appeared.

1. Commands

In v1-v6, commands were classified as standard or as "user maintained," the latter being relegated to chapter 6. In this list both categories appear in chapter 1. Games, though, are listed with chapter 6 as always.

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
.	+++ intro	introduction to commands
.	++ :	place label [goto]
.	++ =	redo previous shell command
+	acct	get connect-time accounting
.	+ adb	debugger
.	+ altran	language for algebraic computation [langs]
.	6 . L	apl
.	++ apply	apply a command to a set of arguments
.	++ apsend	send troff output to aps-5
+++++	ar	archive and library maintainer
.	+ arcv	convert archives to new format
+++++	as	assembler
.	+ asa	interpret ASA control characters
.	++ ascii	interpret ASCII characters
.	+++ at	execute commands at a later time
.	+++ awk	pattern scanning and processing language
.	6 6 6	azel
+++	b	compile b program
.	+ backup	backup and recover files
.	+ badblk	dispose of unusable disk
+++ 6 +++	bas	basic [hoc]
6 6	basic	DEC supplied basic [langs]
.	+++ basename	strip filename affixes
.	+++ bc	arbitrary-precision arithmetic language
+	boot	reboot system [20boot(8)]

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. L . .	bs	a compiler/interpreter for modest-sized programs
. ++	bundle	collect files for distribution
6 6 . 6 6 6 ++ 7	cal	print calendar
. +++	calendar	reminder service
. L . .	call	ring a telephone
. ++	can	interface to Cannon laser-printer spooler
+++++++	cat	catenate and print
. . . + 6	catsim	phototypesetter simulator
. +++	cb	C program beautifier
. ++	cbt	btree utilities
. ++++++++	cc	C compiler
. + . .	cd	change working directory [sh]
. . +++++ . . .	cdb	C debugger [adb]
. L + .	cfow	generate C flow graph
+++++++ . . .	chdir	change working directory [cd]
+++++++	chmod	change mode
+++++ 8 + 8 8	chown	change owner or group
. +	cin	C interpreter
. ++	cite	process citations in a document
. + .	clear	clear terminal screen
+++++++	cmp	compare two files
. 6 6 + . .	col	filter reverse line feeds [column]
. ++	column	column alignment
. . . . +++++	comm	select or reject lines common to two sorted files
. + . .	con	connect to another UNIX [dcon]
. ++	coreid	identify source of a core image
+++++++	cp	copy file
. L ++	cpio	copy file archives in and out
. 6 +++++ L . .	cref	cross-reference table
. . + . . . ++ 6	crypt	encode/decode
. ++	ct	call terminal (and start a session)
. +++	cu	call Unix
. ++	cut	rearrange columns of text
. ++	cyntax	C syntax checker
. ++	d202	phototypesetter filters
6 6	das	disassembler [adb]
+++++++	date	print and set the date
+++++++ . . .	db	symbolic debugger [adb]
+	dbppt	write binary paper tape [dump]
+++++++	dc	desk calculator
. ++	dcon	remote login and execution
. . . . +++++	dd	convert and copy a file
. +++	deroff	remove nroff, troff, tbl and eqn constructs
+++ 8 8 8 +++	df	disk free
. . . . +++++	diff	differential file comparator
. ++ .	diff3	3-way differential file comparison
. ++	dired	directory editor
. ++	docgen	generate a document from a script
. ++	doctype	guess command line for formatting a document
6 6 8	dli	load DEC binary paper tapes
6 6	dpt	read DEC ASCII paper tapes

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. L . .	draw	edit a circuit diagram
. +	ds	verify directory hierarchy
+++++++ . . .	dsw	delete files interactively [rm]
+	dtf	format DECtape
+++++++ + + +	du	summarize disk usage
. + . .	dumpdir	print the names of files on a dump tape
. ++++++++	echo	echo arguments
+++++++ + + +	ed	text editor
. + .	efl	extended Fortran language preprocessor
. . . . +++++	eqn	typeset mathematics
. + + +	expr	evaluate arguments as an expression
. ++++++ . . .	exit	end command sequence [sh]
. + + +	f77	Fortran 77 compiler
. . + + 6 6 + + +	factor	factor a number, generate large primes
. ++++++ . . .	fc	compile Fortran program [f77]
. ++++++ 6 . . .	fed	form-letter editor [form]
. L . .	fget	retrieve files from HIS 6000
. . . + . + + + +	file	determine file type
+ +	find	find file with a given name
. . . . + + + + +	find	find files
. +	fmt	ultra-simple text formatter
+	for	compile fortran program [fc]
+++++++ 6 L . .	form	generate form letter
. . +	forml	generate form letters
. L . .	fsend	send files to HIS 6000
. L . .	gcat	send phototypesetter output to HIS 6000 [apsend]
. + +	getuid	get user identity
. L . .	gex	graphics exerciser for Tektronix 4014
. ++++++ . . .	goto	command transfer [sh]
. +	gone.fishing	automatic reply to mail
. 6	graf	draw graph on GSI terminal
. + +	grap	pic preprocessor for drawing graphs
. 6 + + +	graph	draw a graph
. L . .	greek	interpret extended character set
. . . + + + + +	grep	search a file for a pattern
. 6 6 . . .	gsi	interpret funny characters on GSI terminal
. + +	hang	start a process in stopped state
. + +	hoc	interactive floating point language
. L . .	huff	Huffman code file compression [pack]
+	hup	hang up typewrite
. . + 6 6	hyphen	find hyphenated words
. 6 . L . .	ibm	submit off-line job to HO IBM 370
. + .	icont	Icon language translator and compiler
. + +	ideal	troff preprocessor for drawing pictures
. + +	idiff	interactive file comparison
. ++++++ . . .	if	conditional command [sh]
. L . .	iget	get files from Holmdel IBM 370
. + +	iostat	report I/O statistics [load]
. L . .	isend	send files to Holmdel IBM 370
. + + +	join	relational database operator
. . 8 + + + + +	kill	terminate a process with extreme prejudice

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. L . .	labmake	print address labels on GCOS [lab]
. ++	lab	label maker
. + langs		altran, basic, ... languages
. + . last		report recent logins [who]
. + latex		tex macro packages and bibliographies
. ++ lcomp		line-by-line profiler
+ lbppt		read binary paper tape [restor]
+++++++ ld		loader
. L . . lde		logic design equation language
. +++ learn		computer aided instruction about UNIX
. +++ lex		generator of lexical analysis programs
. + . lisp		lisp interpreter and compiler [langs]
. +++ lint		a C program verifier
+++++++ ln		make a link
. + load		load and input-output statistics
. ++++++ 8 8	login	sign on
. +++ look		find lines in a sorted list
. + . . lookall		look through all text files on UNIX
. + . lorder		find ordering relation for an object library
. + . +++ lpr		line printer spooler
+++++++ ls		list contents of directory
. +++ m4		macro processor
. ++ 6 6 6 m6		macroprocessor [m4]
. ++ Mail		send and receive mail
+++++++ mail		send or receive mail among users
. +++ make		maintain program groups
. ++++++ man		print sections of this manual
. + . matlab		interactive matrix desk calculator [langs]
. . . + merge		merge several files [sort]
+++++++ mesg		permit or deny messages
. + mk		maintain (make) related files
+++++++ mkdir		make a directory
. + mkpkg		make and install packages
. + monk		typeset documents and letters
. ++ mt		save/restore files on magtape [tar]
+++++++ mv		move or rename files and directories
. ++ . . neqn		typeset mathematics on a terminal [eqn]
. ++ netnews		send or receive news articles
. ++ newer		test file modification dates
. +++ newgrp		log in to a new group
. ++ news		print news items
. L . . nfs		communicate with Spider File System
. L 1 6	number	convert Arabic numerals to English
. . . ++++++ nice		run a command at low priority
+++++++ nm		print name list
. 6 npr		print file on Spider line-printer
. . . + nohup		run a command at low priority [nice]
. ++++++ . . . nroff		format text for printing [troff]
+++++++ od		octal dump
. ++++++ L . . opr		print file off-line
. ++ 6 ov		page overlay file print

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. ++ p		paginate
. ++ pack		compress and expand files
. + . paper		list input on HP2621P printer
. ++ pascal		language interpreter
. ++ pc		pascal language compiler
. . ++++++ passwd		install new password or user
. . . +++ . . . pfe		print floating exception
. ++ pic		troff preprocessor for drawing pictures
. + . pick		pick arguments [apply]
. L . . place		design physical layout of a circuit
. 6 plog		make a graph on the gsi terminal
. . . + 6 6 +++ plot		graphics filter
. + . post		send mail to users by name
. ++ postnews		submit netnews articles
+++++++ pr		print file
. + prefer		maintain and use bibliographic references
. + . prep		prepare text for statistical processing
. 6 . . . primes		print all primes larger than somewhat [factor]
. L . . prom		read and write proms through the PROLOG promwriter
. . + proof		compare text files [diff]
. . . +++++ prof		display profile data
. . 8 +++++ ps		process status
. 6 6 6 6 . +++ ptx		permuted index
. + . pubindex		make inverted bibliographic index [refer]
. ++ push		datakit remote file copy
. . . . +++++ pwd		working directory name
. + . pxp		pascal printer, profiler, and cross-reference lister
. ++ random		sample lines from a file or provide random exit code
. + . ranlib		convert archives to random libraries [ar]
. + . rc		Ratfor compiler [langs]
. ++ readnews		read news articles
. +++ refer		find and insert literature references in documents
. +++ rev		reverse lines of a file
+++++ rew		rewind DECTape
+ rkd		dump disk to tape
+ rkf		format RK disk
+ rkl		load disk from tape
+++++++ rm		remove (unlink) files
+++++ . . . rmdir		remove (delete) directory [rm]
+++++ . . roff		format text
. ++ ropy		remote file copy for arpa internet
. + rscan		scan pages on ricoh scanner and display on 5620
+ sdate		adjust date and time
. ++ sdb		symbolic debugger
. L . . sdiff		side-by-side difference program
. + seal		mailable data file
. +++ sed		stream editor
. + sendcover		send cover sheet to the library
. ++ seq		print sequences of numbers
. ++ server		run anonymous command on another machine
. 6 sfs		structured file scanner

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
+++++	sh	command language
. . . + + + + . . .	shift	adjust shell arguments [sh]
. + +	ship	automatic software distribution
. . + + + + + + +	size	size of an object file
. . . 6 6 6 L 7 7	sky	obtain ephemerides
. . . + + + + + + +	sleep	suspend execution for an interval
. . + + 6 6 L . .	sno	compile Snobol programs [langs]
. + +	snocone	snobol with syntactic sugar
6 + + + + + + + + +	sort	sort or merge files
. . + + 6 6 L . .	speak	send words to voice synthesizer
. + + + + + +	spell	find spelling errors
. + .	spitbol	Snobol language compiler [langs]
. . . 6 6 6 + . .	spline	interpolate smooth curve
. . + + + + + + + +	split	split a file into pieces
+ + +	stat	get file status
+ + + + + + + + +	strip	remove symbols and relocation bits
. + + .	struct	structure Fortran programs
. + + + + + + + +	stty	set terminal options
. +	submit	install document in database
+ + + + + . + + +	sum	sum and count blocks in a file
. + + +	tabs	set terminal tabs
. +	tacct	connect-time accounting
. + + +	tail	deliver the last part of a file
+ + +	tap	manipulate DECTape
. + +	tape	identify and manipulate magnetic tape
. + + +	tar	tape archiver
. 6 + + +	tbl	format tables for nroff or troff
. + . .	tc	troff output interpreter
. L . .	tekstare	convert tektronix picture to hard copy graphics [can]
. + + + + +	tee	pipe fitting
. + .	telnet	user interface to the telnet protocol
. + + +	test	condition command
. +	tex	text formatting and typesetting
. . + + + + + + +	time	time a command
. + + .	tk	paginator for the Tektronix 4014
. 6 + 6 6 6 L . .	tmg	compile tmgl program
. + + +	touch	update date last modified of a file
. . . + + + + . .	tp	manipulate tape archive [tar]
. + + + + +	tr	translate characters
. + +	trace	protocol compiler and analyzer
. + .	track	selective remote file copy
. . . + + + + + +	troff	text formatting and typesetting
. + + +	true	provide truth values
. + .	tset	set terminal modes
. + + + + . L . .	tss	communicate with MH-TSS (GCOS)
. + + +	tsort	topological sort
+ + + + + + + + +	tty	get terminal name
+ + + +	type	print file on IBM 2741
. . + + + + L . .	typo	find typographic errors
. L . .	ufs	Spider Network Communication
. + +	ul	print underlines on screen terminals

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
+++	un	fine undefined symbols
. . . ++++++	uniq	report repeated lines in a file
. 6 + 7 7	units	conversion program
. +	usort	sort and merge files, discarding duplicate lines [sort]
. + + + +	uucp	unix to unix copy
. L	uudiff	directory comparison between machines
. + + + +	uustat	uucp status inquiry and job control
. + + + +	uux	unix to unix command execution
. L	vc	verification of tests for C programs [lcomp]
. + + + +	vi	screen oriented (visual) display editor based on ex
. + +	view2d	movie of a function f(x,y,t)
. + +	vis	show invisible characters
. + .	visi	mathematical spreadsheet
. . +	vs	generate voice synthesizer phonemes
. . . + + + + . .	wait	await completion of process [sh]
+ + + + + + + + +	wc	word count
. L	wcheck	look for inconsistencies in a circuit description
+ + + + + + + + +	who	who is on the system
. L	wrap	generate control information for wiring a circuit board
+ + + + + + + + +	write	write to another user
. + +	wwb	writers workbench
. + +	wwv	print and set the date from accurate clock
. L	xref	cross reference for C programs
. + + .	xsend	secret mail
. . 6 6 6 + + + +	yacc	yet another compiler-compiler

2. System calls

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. . . . + + + + +	intro	introduction to system calls and error numbers
. + + + +	access	determine accessibility of file
. + + + +	acct	turn accounting on or off
. + + + +	alarm	schedule signal after specified time
. . + + .	boot	reboot the system
+ + + + +	break	set program break [brk]
. + + + +	brk	change core allocation
+ + +	cemt	catch EMT traps [signal]
+ + + + + + + + +	chdir	change default directory
+ + + + + + + + +	chmod	change mode of file
+ + + + + + + + +	chown	change owner and group of a file
+ + + + + + + + +	close	close a file
+ + + + + + + + +	creat	create a new file
. . + + + +	csw	read the console switches
. +	deprecated	system calls to be avoided
. . + + + + + + +	dup	duplicate an open file descriptor
+ + + + + + + + +	exec	execute a file
+ + + + + + + + +	exit	terminate process
. +	fmount	mount or remove file system
+ + + + + + + + +	fork	spawn new process
. . +	fpe	catch floating exception errors [signal]
+ + + + +	fstat	status of open file [stat]

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. . . + + + . . .	getgid	get group identification [getuid]
. + + + . . .	getpid	get process identification [getuid]
+ + + + + + + + + +	getuid	get user and group identity
. + .	gmount	mount or remove non-standard file system [fmount]
+ + + + + + + . . .	gtty	get typewrite mode [ioctl]
. +	hog	set low-priority status [nice]
+ + +	ilgins	catch illegal instruction trap [signal]
. . . + + + + + . . .	indir	indirect system call [syscall]
+ + +	intr	catch or inhibit interrupts [signal]
. + + +	ioctl	control device
. + + + + + + + + +	kill	send signal to a process
+ + + + + + + + + +	link	link to a file
. + . .	lock	lock a process in primary memory
. + + +	lseek	move read/write pointer
+ + + +	mkdir	create directory
. . . + + + + + + +	mknod	make a directory or a special file
+ + + + + + + + + .	mount	mount or remove file system [fmount]
. + . .	mpx	create and manipulate multiplexed files
. . + + + + + + + +	nice	set program priority
+ + + + + + + + + +	open	open for reading or writing
. . . + . . . + + +	pause	stop until signal
. + . .	phys	allow a process to access physical addresses
. . + + + + + + + .	pipe	create an interprocess channel
. + . .	pkon	establish packet protocol
. + + + + +	profil	execution time profile
. + + + + .	ptrace	process trace [proc(4)]
+ + +	quit	catch or inhibit quits [signal]
+ + + + + + + + + +	read	read from file
+ + +	rele	release processor
+ + + + + + + . . .	seek	move read or write pointer [lseek]
. + +	select	synchronous I/O multiplexing
. . . + + +	setgid	set process group ID [setuid]
+ + + + + + + + + +	setuid	set user and group ID
+ + +	smdate	set date modified of file [utime]
. . . + + + + + + +	signal	catch or ignore signals
. + + + + + + . . .	sleep	delay execution [alarm]
+ + + + + + + + + +	stat	get file status
+ + + + + + + + + +	stime	set time
+ + + + + + + . . .	stty	set mode of typewriter [ioctl]
. + + + + + + + + +	sync	update super-block
. + +	syscall	indirect system call
+ +	tell	find read or write pointer [seek]
+ + + + + + + + + +	time	get date and time
. . + + + + + + + +	times	get process times
. + + +	umask	set file creation mode mask
+ + + + + + + . . .	umount	dismount file system [mount]
+ + + + + + + + + +	unlink	remove directory entry
. + + +	utime	set file times
+ + + + + + + + + +	wait	wait for process to terminate
+ + + + + + + + + +	write	write on a file

3. Subroutines

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. + + +	intro	introduction to library functions
. + + + +	abort	generate IOT fault
. + + . .	abs	integer absolute value, sign function [arith]
. + +	arith	integer arithmetic functions
. + +	alloc	core allocator [malloc]
. + + +	assert	program verification
. + + + + +	atan	arctangent [sin]
+ + + + + + + + +	atof	convert ASCII to numbers
+ + +	atoi	convert ASCII to integer [atof]
. + +	cbt	compressed B-tree subroutines
. + +	chrtab	simple character bitmaps
. . + +	compar	string compare for sort
. +	const	floating point constants
. 7 L . .	cr	coroutine scheme
. . + + + + + + +	crypt	DES encryption
+ + + + + + + + +	ctime	convert date and time to ASCII
. + + +	ctype	character classification
. + +	curses	screen functions with 'optimal' cursor motion
. + .	db	database subroutines
. + + +	dbm	data base subroutines
. + +	dialout	place call on ACU
. + +	directory	directory operations
. + +	dkmgr	establish datakit server
. . +	ddspout	display characters on Picturephone
. . + + + + + + +	ecvt	output conversion
. + + + +	end	last locations in program
. L + +	erf	error function
+ + + + + + + + +	exp	exponential, logarithm, power, square root
. + + +	fclose	close or flush a stream
. + + +	ferror	stream status inquiries
. +	fio	fast buffered I/O
. + + + + +	floor	absolute value, floor, ceiling functions
. +	fmod	floating modulus function [floor]
. + + +	fopen	open a stream
+ + + + + + . . .	fptrap	floating-point simulator
. + + +	fread	buffered binary input/output
. + + +	frexp	split into mantissa and exponent
. + + +	fseek	reposition a stream
+ + +	ftoa	convert floating to ASCII [ecvt]
. . +	ftoo	convert floating to octal
. + +	ftw	file tree walk
. L + +	galloc	storage allocation with garbage collection
. + + L + +	gamma	log gamma function
. + + +	gerts	communicate with GCOS
. + + . + +	getarg	get command arguments from Fortran
+ + + + + + + + +	getc	get character or word from stream
. . . + + + . . .	getchar	read character [getc]
. + + +	getenv	value for environment name

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. +	getfields	break a string into fields
. ++	getfsent	get file system descriptor file entry
. +++	getgrent	get group file entry
. +++	getlogin	get login name
. ++	getopt	get option letter from argv
. +++	getpass	read a password
. . . ++++ . .	getpw	get name from UID
. +++	getpwent	get password file entry
. +++	gets	get a string from a stream
. ++	getwd	get current directory
. . . ++++ . .	hmul	high-order product
. ++++ . +++	hypot	euclidean distance
. . . ++++ . .	ierror	catch Fortran errors
. +	internet	internet networking functions
. +	ipc	set up communications between unrelated processes
. + . .	iread	insistent read
+++	itoa	convert integer to ASCII
. +++	j0	bessel functions
. +++	l3tol	convert between 3-byte integers and long integers
. . . ++++ . .	ldiv	long division
7	liba	standard assembly-language library
7	libb	standard B library
7	libf	standard Fortran library
. + . .	libr	remote file access
. ++ . .	locv	long output conversion [printf]
+++++	log	logarithm base e [exp]
. +++	malloc	main memory allocator
. L ++	map	map projections
. ++	memory	memory operations
++++	mesg	print string on typewriter [printf]
. +++	mktemp	make a unique file name
. ++++	monitor	prepare execution profile
. +++	mp	multiple precision integer arithmetic
. . . ++++ . .	nargs	argument count
. ++++	nlist	get entries from name list
. . . ++++ . .	perror	system error messages
. + . .	pkopen	packet driver simulator
. +++	plot	graphics interface
. +++	popen	initiate I/O to/from a process
. ++	port	mathematical library for Fortran
. . ++++ . . .	pow	take powers of numbers [exp]
. +	print	print formatted output
. . . ++++ . .	printf	output formatters
+++	ptime	print time
. ++	ptopen	find and open a pseudo-terminal file
+++++	putc	put character or word on a stream
. . . ++++ . .	putchar	write character [putc]
. +++	puts	put a string on a stream
. ++++	qsort	quicker sort
. . ++++	rand	random number generator
. + .	regex	regular expression handler [regexp]

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. ++	regex	regular expression handler
. . . +++ . . .	reset	execute non-local goto [setjmp]
. ++ . . 7 L . .	salloc	string allocation and manipulation
. +++	scanf	formatted input conversion
. +++	setbuf	assign buffering to a stream
. . . +++ . . .	setfil	specify Fortran file name
. +++	setjmp	non-local goto
+++++++	sin	trigonometric functions
. +++	sinh	hyperbolic functions
. +++	sleep	suspend execution for interval
. +++++ . . .	sqrt	square root [exp]
. +++	stdio	standard buffered input/output package
. +++	string	string operations
. +++	swab	swap bytes
++++	switch	transfer depending on value
. +++	system	issue a shell command
. +	tcp	tcp networking functions
. ++	tkdial	open a datakit connection to a remote server
. ++	termcap	terminal independent operation routines
. ++	tolower	force upper or lower case
. . ++++++++	ttyname	find name of a terminal
. +	udp	udp networking functions
. +	uname	get password file entry
. +++	ungetc	push character back into input stream
. ++	varargs	variable argument list
. ++	view2d	movie of a function f(x,y,t)
. . . ++	vt	display (vt01) interface

4. Special files

Terminology changed often in this section. In v3 mnemonic names were replaced by pallid hardware part designations, For example *tty* became *kl* and *ppt* became *pc*. Lately the trend has reversed, with the appearance of *drum* and *cons*.

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. ++	bufld	buffering line discipline
. +	connld	connection line discipline
. ++	cons	console interface
. . . +++++ . .	cat	phototypesetter interface
. . . +	da	voice response unit
. . . +++ . . .	dc	remote typewriter
. . . ++ . . .	dh	DH-11 communications multiplexor
. L ++	dk	Datakit interface
. ++++++++ . .	dn	DN-11 ACU interface
. ++	drum	paging device
. ++++++ . . .	dp	201 dataphone
. + . .	du	DU-11 201 data-phone interface
. ++	fd	file descriptor file
. ++ . .	hp	RH-11/RP04, RP05, RP06 moving-head disk
. ++ . .	hs	RH11/RS03-RS04 fixed-head disk file
. ++ . .	ht	RH-11/TU-16 magtape interface
. . +++++ . . .	kl	console typewriter [cons]

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
.	lpr	line printer
.	mesgld	message line discipline
+	mem	core memory
.	mt	magtape interface
.	null	data sink [under <i>mem</i> in v5]
.	pc	punched paper tape
.	pk	packet driver
+	ppt	punched paper tape [pc]
.	proc	process file system
.	pt	interprocess I/O junctor files
.	ra	DEC MSCP disks (RA60, RA80, RA81)
+	rf	RF11/RS11 fixed-head disk file
+	rk	RK-11/RK03 or RK05 disk
.	rp	RP-11/RP03 moving-head disk
.	stream	stream I/O control calls
+	tap	DECTape file
.	tc	TC-11/TU56 DECTape
.	L . . tiu	Spider interface
. tm	TM-11/TU-10 magtape interface [mt]
+ tty	console typewriter [kl]
. + tty	general terminal interface [ttyld]
+ tty0...	remote typewrite [dc]
. + ttyld	terminal processing
. vp	Versatec printer-plotter
. L . . vs	voice synthesizer interface
. vt	storage-tube display

5. File formats and conventions

In v1-v5, section 5 was restricted to "File formats"

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
+	a.out	assembler and link editor output
.	acct	execution accounting file
+	ar	archive (library) file format
.	+ backup	incremental backup file
+ bppt	binary paper tape format
+	core	format of core image file
.	L . . + cpio	format of cpio archive
+	dir	format of directories
.	dump	incremental dump format
.	+++ environ	user environment
. file.g	drawing editor file format
+	filsys	format of file system volume
.	++ fstab	static information about the file system
.	+++ group	group file
. ident	GCOD ident cards
.	+++ map	digitized map formats
. mpxio	multiplexed i/o
.	+++ mtab	mounted file system table
. news	USENET network news article, utility files
. + newsrc	information file for readnews

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
+++++	passwd	password file
. 7	+++ plot	graphics interface
.	+ polyhedra	database format
.	+ speak.m	voice synthesizer vocabulary
.	+ + stab	symbol table types
.	L . . tar	format of tar archive
.	+ + termcap	terminal capability database
. + + + + + . .	tp	DEC/mag tape formats
.	+ + + + + ttys	terminal initialization data
.	+ + types	primitive system types
+ +	uids	map names to user ID's [passwd]
+ + + + + + + + + +	utmp	login records
.	+ + view2d	movie of a function f(x,y,t)
.	+ + whoami	computer name
. + + + + + . . .	wtmp	accounting files [utmp]

6. Games

In v1 through v6 chapter 6 was called "User maintained maintained programs." Only the games from those editions are listed here; other pages from those chapters 6 are listed with chapter 1 or chapter 7.

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
.	L + + adventure	dungeon-exploration game
.	+ + + arithmetic	provide drill in number facts
.	+ + atc	air traffic controller
.	+ + + backgammon	the game
.	+ + + banner	make long posters
1	+ + + bcd	convert to antique media
+ + + + + + . .	bj	the game of black jack
.	+ + boggle	word games
.	+ + bridge	card game
.	+ + card	card games
.	+ . . checkers	game
+ . . + + + + . .	chess	the game of chess
.	+ + . ching	the book of changes and other cookies
. . . + + + . . .	cubic	three dimensional tic-tac-toe
.	+ + doctor	psychiatric consultation
.	+ festoon	memo writer
.	+ . fortune	cookies
. . . + + . + . .	maze	generate a maze problem
+ + . + + + + . .	moo	guessing game
.	L . . morse	convert letters to morse code
.	L . . psych	pattern generators
.	+ + + + + quiz	test your knowledge
.	+ . . reversi	a game of dramatic reversals
.	+ + snake	display chase game
.	L + + trek	war games
.	+ + worms	silly demos
+ + . + + + 6 + . .	ttt	tic-tac-toe
.	+ . . words	word games [boggle]
.	+ + + . . wump	the game of hunt-the-wumpus

7. Data bases and language conventions

Chapter 7 has had many names:

- v1-v5 Miscellaneous
- v6 User maintained subroutines
- v7 Macro packages and language conventions
- v8-v9 Databases and language conventions

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. ++	apnews	present ap wire stories
+++++ 5	ascii	map of ASCII character set
. + .	candest	canon laser printers [can(1)]
. L . .	cdl	circuit description language
. ++	dict	look up words in English dictionaries
. +++	eqnchar	special character definitions for eqn
. ++	font	typesetter fonts
. . +++ 5 + . .	greek	graphics for extended HdY-37 type-box
. + . .	hier	file system hierarchy
++	kbd	map of HdY 37 keyboard
. ++	library	bell labs library service
++	login	logging on and logging off the system
. ++	mail	address conventions and rewrite rules
. +++	man	macros to typeset manual
. L ++	map	draw maps on various projections
. +	mbits	macros for typesetting bitmaps
. ++	mcs	macros for formatting cover sheets
. +++	ms	macros for formatting manuscripts
. +	papers	browse database of locally authored papers
. +	netnews	recent articles, utility files
. +	poly	database of polyhedra
+	suftab	roff's suffix table
+++++ 5 . . .	tabs	set tab stops on typewrite [tabs(1)]
. ++	tel	local and private telephone books
. + .	telno	retrieve from bell labs phone book [tel]
. ++ .	term	conventional names
. . . +++	tmheader	TM cover sheet
. ++	town	gazetteer of US places
. ++	troff	addenda to troff manual
. . +++ . L . .	vsp	voice synthesizer phonemes
. ++	weather	conditions and forecast by town

8. Maintenance commands and procedures

Pages from chapter 1 of v1, v2, and v7 that appeared in chapter 8 of other editions are included here. In v1 and v2 there was no chapter 8 and in v7 many system maintenance commands were placed in chapter 1, with the identification "1M".

Chapter 8 is the most turbulent part of the manual: maintenance procedures, being known only to a few, and often being embedded in just one or two shell scripts may be more lightly changed than mainstream facilities. Moreover, much of chapter 8 is concerned with hidden procedures that are usually invoked automatically.

It has always been problematic just how much to say about such changeable things that so few people need to know about. Maintenance programs may remain "unofficial" for years. For example, one or another

version of *findo*, for scouring trash out of full file systems, had existed since the earliest days, yet it was not documented until v8.

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. ++	11	pdp11 support
.	20boot	reboot 11/20 system
. + 1 ++	ac	login accounting
. +	arff	read RT11 files
+	as2	assembler's pass 2
. ++	asd	automatic software distribution
+	ba	B assembler
. +	backup	backup administration
+	bc	B compiler
+	bilib	B interpreter
+++++++ . .	boot	startup procedures [reboot]
+	brt1,brt2	B start and finish
. 6	chash	prepare symbol table lem
1 1 +++	check	check consistency of file system [icheck]
. +	chgrp	change group [chown]
. . 1 +++ 1 ++	clri	clear i-node
. +	config	configure a Unix kernel
. ++	cpp	C language preprocessor
. ++ . .	crash	what to do when the system crashes
. + + + +	cron	clock daemon
. . + . . . + 1 . .	dcheck	file system directory consistency check [icheck]
. + +	dmesg	system diagnostic messages
. 1 7 7 ++ L . .	dpd	dataphone daemons
. + + 1 . .	dump	incremental file system dump
+	f1,f2,f3,f4	Fortran compiler passes
. L . .	fget.demon	fget daemons
. + +	finddev	find process using a device
. + +	findo	find objectionable files
. + +	fsck	file system consistency check and interactive repair
. + + 7 + + + + +	getty	set typewriter mode
+ + + 7 + + . . .	glob	argument expander
. + 1 ++	icheck	file system storage consistency check
. + + + + + + + +	init	process control initialization
. . . +	ino	get the i-number of a file
. 1 +	istat	file status by i-number
. + +	ldpcs	load correct microcode
. + + L + +	lpd	line printer daemon
. + + +	makekey	generate encryption key
. + +	mgrproc	service remote computing requests
. +	mkconf	generate configuration tables [config]
1 . . + + + 1 + +	mkfs	construct a file system
. . . + + + 1 + +	mknod	build special file
1 1 + + + + 1 + +	mount	mount and dismount file system
+ + + + +	msh	mini Shell
. + 1 . .	ncheck	generate names from i-numbers [icheck]
. + +	netfs	network file system
. + +	netstat	show network status for ARPA internet

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. ++	oops	process status
. 1 ++	pstat	print system facts
. 1 ++	quot	summarize file system ownership
. ++	rarepl	replace bad blocks on MSCP drive
. ++	rc	boot script
. ++	reboot	bootstrapping procedures
. . 1 ++	reloc	relocate object files
. ++	renice	alter priority of running process by changing nice
. ++ 1 . .	restor	incremental file system restore
. + .	rmdir	unlink directory
. ++ 1 ++	sa	system accounting
. 1 +	salv	repair damaged file system
. ++	savecore	save a core dump of the operating system
. ++	showq	state of stream I/O system
. +	smash	rewrite bad disk sectors
1 1 + + + + 1 ++	su	substitute user id temporarily
. ++	swapon	specify paging/swapping device
. . . + + + + + +	sync	update the super block
. . +	swtmp	truncate accounting file
1 1 +	tm	get time information
1 1 + + + + . . .	umount	dismount removable file system [mount]
. ++	upas	address driven mailer
. . . + + + + + +	update	periodically update the super block
. ++	uuccheck	check uucp directories and permissions file
. ++	uucico	file transport program for the uucp system
. L ++	uuclean	uucp spool directory cleanup
. + .	uusched	uucp file transport scheduler [uucico]
. ++	uuxqt	create remote command requests
. ++	vmstat	report virtual memory statistics
. + 1 ++	wall	write to all users
. + .	xstr	preprocessor for sharing strings in C programs

9. Teletype 5620-related software

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. ++	intro	introduction to jerq-related software
<i>9.1 Commands</i>		
. ++	32ld	bootstrap loader for the 5620
. ++	3cc	MAC-32 compiler for the 5620
. ++	blitblt	make hard copy image
. +	brush	painting program
. ++	cup	picture drawing program
. ++	face	show faces on a jerq
. +	flicks	movie graphics for 5620
. +	getfont	replace terminal's default font
. ++	icon	icon editor
. ++	jf	font editor
. + .	jim	text editor [sam]
. ++	jx	jerq execution and stdio interpreter
. ++	graphdraw	edit (combinatoric) graph
. ++	lens	bitmap magnifier

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		
. +	menudrop	leave a menu lying around
. ++	mugs	convert gray-scale images into icons
. ++	mux	layer multiplexor for the jerq
. ++	paint	draw pictures in a layer
. ++	ped	picture editor
. ++	pi	process inspector
. ++	pico	graphics editor
. ++	proof	troff output interpreter for jerq
. +	pvmon	gray-scale picture preview window for 5620
. +	reader	examine typeset documents
. ++	rebecca	graphics touch-up editor
. ++	ruler	measure things on the screen
. + .	sysmon	display system statistics [vismon]
. +	sam	screen editor with structural regular expressions
. ++	term	nonstandard mux terminals
. ++	thinkblt	print on ThinkJet
. +	vismon	system statistics and mail notification
. ++	windows	create and initialize windows
<i>9.2 System calls</i>		
. ++	button	mouse control
. ++	newlayer	layer control and graphics
. ++	newproc	jerq process control
. ++	request	jerq I/O requests
<i>9.3 Subroutines</i>		
. ++	add	arithmetic on points and rectangles
. ++	alloc	allocate memory
. ++	bitblt	basic jerq graphics functions
. ++	circle	circle drawing functions for jerq
. ++	cos	integer math functions
. ++	menuhit	present user with menu and get selection
. ++	string	jerq text and font operations
. +	thinkclient	ThinkJet routines
<i>9.4 Devices</i>		
. ++	jiocctl	jerq ioctl requests
. ++	mouse	jerq mouse interface
<i>9.5 File formats and conventions</i>		
. ++	bitfile	format of bitmap file
. ++	faced	network face server
. ++	font	jerq font layouts
. +	movies	graphics movie file formats
. ++	pads	user interface package
. ++	types	basic jerq graphics data types
<i>9.6 Games</i>		
. ++	crabs	graphical marine adventure game
. ++	demo	graphic demonstration and games
. +	gebaca	get back at corporate america
. ++	pen	doodle anywhere on the screen
. +	pengo	squash the sno-bees
. ++	twid	dabble in oils
<i>9.7 Data bases</i>		
. ++	blitmap	map plots and path finding on a jerq

Edition	Title	Purpose
1 2 3 4 5 6 7 8 9		